

NATIONAL MASTER STANDING OFFER

(NMSO) FIRE, SAFETY AND RESCUE
EQUIPMENT PRODUCT GUIDE - CW236350

The logo for Levitt Safety, featuring the brand name in a white, lowercase, sans-serif font. A small white star is positioned above the letter 'i' in 'safety'. To the right of the text is a white, curved swoosh that starts under the 'y' and arcs upwards and to the left, ending under the 'i' in 'safety'.

levittsafety



Ansul Sentry® Stored Pressure Fire Extinguisher 5lb ABC Dry Chemical
A442260

- Designed for light to ordinary hazards
- UL/ULC listed and USCG Approved with correct bracket
- Bilingual nameplate



Ansul Sentry® Stored Pressure Fire Extinguisher 10lb ABC Dry Chemical
A436509

- Designed for light to ordinary hazards
- UL/ULC listed and USCG Approved with correct bracket
- Bilingual nameplate




Ansul Sentry® Stored Pressure Fire Extinguisher 20lb ABC Dry Chemical
A434765

- Designed for light to ordinary hazards
- UL/ULC listed and USCG Approved with correct bracket
- Bilingual nameplate



Ansul Red Line Cartridge-Operated LT Fire Extinguisher 20 lb ABC Dry Chemical
A435132

- Nitrogen cartridge and plastic cartridge cover
- Listed for temperatures to -54 °C
- Designed for ordinary to higher



ANSUL® Extinguisher Bracket
A30937

- Capacity 20 lb
- For 20 lb SY-2013, SY-2014, SY-2023, SY-2024, SY-2033, SY-2034, SY-1741, CA-1481, AA20, A20I, PK20, PK20I, C20, C20I and FE13 dry chemical extinguishers




Ansul 150lb Wheeled Fire Extinguisher
A435050

- Corrosion resistant finishes on all components
- Aluminum nozzle barrel provides a solid, round agent stream
- UL/ULC Listed extinguishers



Ansul 15lb Carbon Dioxide Fire Extinguisher
A431555

- Aluminum 15lb. CO2 w/Wall Hanger



Ansul Foam Concentrate, Silvex Plus, 5 gal.
NA434467

- Extended drain time
- Fighting Class A fires



Akron Brass 1 1/2" Brass Fog Nozzle with Pistol Grip
3021

- Coast Guard, Marine, Navy & Military Nozzles
- Rubber-like bumper and handle
- Constant gallonage in fog and straight stream patterns
- Flush without shutting down extinguishers



Akron Brass StreamMaster II Manual Fire Monitor System 2000 GPM (7600 LPM)
3481

- Compact operating envelope (10.5", 267 mm)
- Rotation range 355°
- Elevation range +90°, - 45°



Akron Brass Suction Siamese 1583

- Quarter turn valves with Tork-Lok handles
- Swivel inlet with strainer included
- Drain valve optional



Ottawa Brass DND Model 30 Backpack, Pump Tank FLCPT30-DND

- 5 G Al, red canvas, Sgl stroke
- Fully assembled with pistol grip
- NSN; 4210-21-911-9445



Ottawa Brass Inner bladder for Model 30 backpack FLXB3

- Inner bladder replacement with cap For Model 30 Backpack
- NSN; 5430-20-008-7359



Jordair Fire-Kat Ultra Silent FIRE-KAT5-220-3EUS

- Compressor system with single Bauer compressor block installed within an insulated/enclosed frame
- Auxiliary fan for sound reduction and cooling



Jordair Fill-Kat filling Station Series J-FFS-DF4-5

- Complete filling/de-fragmentation station for simultaneous filling
- Available filling pressures for these models are 2216, 3000, 4500, or 5500 PSIG



Jordair Cylinder MJCYLTC6000

- Cascade, TC 6000 PSIG, 509 CU FT
- Air storage cylinder
- Class D breathing air



Accutec 9000 Fit Tester IAT9000

- Fit tests **most** filtering facepiece (N95) all full and half-mask respirators
- Stand-alone or PC-based operation
- Includes software, carry case and accessories required to conduct fit tests




Accutec 9000 Pro Fit Tester IAT9000PRO

- Fit tests **all** filtering facepiece (N95) & tight-fitting full & half mask respirators
- Stand-alone or PC-based operation
- Includes software, carry case and accessories required to conduct fit tests



ACCUPUNCH™ Fit Test Probing Tool IATAP100

- Innovative and safe way to install test inlet ports into N95 respirators



Sodium Chloride Tablets DS99009

- Salt tablets (sodium chloride), 100mg, for use with ultrasonic particle generator
- 100 Tablets/bottle



Isopropyl Alcohol DS06262

- Includes 12 x 60 ml bottles/box
- 99.8% reagent-grade isopropyl alcohol
- For use with Accutec and TSI portacount respirator fit testers



Fit Testing Probes for Quantitative Respirator Fit Testing IFL500PUSHNUT

- Includes 500 probes and push nuts
- Used when fit testing N95 and other filtering facepiece respirators
- For use with Accutec, Sibata, and TSI Portacount respirator fit testers



NLT Pleats Plus Disposable Particulate Respirator MFM4202 (S/M) MFM4201 (M/L)

- Class CA-N95F-100Pa
- Certified to CSA Z94.4:1:21 standard
- ASTM F2100-19 level 3 medical grade



NLT 3-Ply Disposable Level 2 Medical Mask M127C

- ASTM F2100 level 2
- 50/Box



Sensidyne Gillian Gilian® Go-Cal™ Pro IP9101920ENR

+/- 1% Accuracy across the Entire Range of Flow Rates in 3 Instruments:

- Low Flow: 5-600 cc/min
- Standard Flow: 600-5000 cc/min
- High Flow: 4-30 LPM



GilAir® Plus Personal Air Sampling Pump IP9100910USR

- 1-5000cc/minute flow rate
- Datalogging starter kit with bluetooth connectivity
- Includes pump, charging/communications dock, AC adapter and sampling accessories
- QuadeMode sampling technology and motion detection



Svantek Intrinsically Safe Noise Dosimeter ISVSV104BIS

- Class 2 meter meeting IEC 61252, ANSI S1.25 & IEC 61672
- MEMS microphone w/lifetime warranty



Svantek Mast arm with a bracket
ISVSA306

- Pole mounting bracket, For SV 307A/SV 200A



Svantek All-in-one Noise Monitoring Station Environmental
ISVSV307A

- MEMS microphone w/ lifetime warranty
- Class 1 sound level meter with 4G and GPS modems



Svantek Sound Level Meter
ISVSV973A

- Class 2 Meter meeting IEC 61672
- MEMS mic w/lifetime warranty
- Datalogging, software, USB cable and bluetooth
- Audio recording options available



Svantek Personal Noise Dosimeter
ISVSV104A

- Class 2 Meter meeting IEC 61252, ANSI S1.25 & IEC 61672
- MEMS mic w/lifetime warranty
- Datalogging, software, USB cable and bluetooth



Svantek Class 2 Sound Calibrator
ISVSV34B

- Generates 114dB signal at 1kHz
- Automated calibration with Svantek instruments.
- Used with sound level meters and noise dosimeters with 1/2" microphone



GFG Multi Gas detector G450
IGG45011420

- Compliance gas detector - LEL, O₂, CO and H₂S
- Rechargeable NiMH battery
- 3 Year warranty on all sensors, lifetime warranty on the instrument platform



GFG Single Gas Detector Micro IV
IGG1418027

- Sensor Range 0 to 300 ppm, resolution 1 ppm
- Data logging
- Operating temp. range -4° to 131° F



GFG Multi Gas detector G460 w/ PID
IGG4601D03700020

- Extended description LEL
- O₂ (5-Year) & COSH (CO & H₂S Dutotox) sensors
- Rechargeable, no pump, charging cradle, calibration adapter



GFG DS400/404 Docking Station
IGG1450401

- For GFG G450/460 monitors
- Function tests and adjustments of portable gas detection devices can be carried out automatically, quickly and easily



GFG Demand Flow Regulator
IG1419216

- Demand Flow Regulator (Male threads) for disposable cylinders with Female Threads (Inside threads for Cylinder) (aluminum and 103 L steel)



Industrial Scientific Ventis MX4 Multi Gas Monitor
ISCVTSK1234101101

- 4 Gas Monitor extended battery
- Gas Type: LEL, O2, CO, H2S



713 Series Fixed Flow Regulator
IFLA0195285

- CGA 600
- 4.8mm (3/16") Barb >, 1.0 lpm



Calibration Gas
IFLA0446460

- Calibration Gas, 8AL, 58L, 25 ppm H2S, 100 ppm CO, 2.5% CH4 (50% LEL), 18% O2 / Balance N2



Gastec, Smoke Test Kit
IG6500

- Determine gas flow direction with smoke
- Includes 1 box no. 6501 smoke tubes, aspirator bulb



Gastec Smoke Tubes
IG6501

- Tester tubes to determine gas flow direction with smoke
- 6 tubes/box



Gastec GV-110S Sampling Pump
IGV110S

- Gas & vapour sampling system
- Tubes available for more than 500 applications
- Includes tip breaker, pump stroke counter, rubber inlets & carry case

Gas Detection Tubes

IG4M	Hydrogen Sulphide	Mid Range
IG5LA	Sulphur Dioxide	Low Range
IG5LB	Sulphur Dioxide	Low Range
IG5LC	Sulphur Dioxide	Low Range
IG6	Water Vapour	(0.5-32 mg/L)
IG6500	Smoke Tester	
IG6501	Smoke Generation Tube / 6	
IG6L	Water Vapour	Low Range
IG6LLP	Water Vapour	Extra Low Range
IG6LP	Water Vapour	Low Range
IG70	Mercaptans	(0.5-120 ppm)
IG70LN	Mercaptans	(0.1 - 8 ppm)
IG71	Methyl Mercaptan	(0.25-140 ppm)
IG710	Holder, Gastec, For Passive Dositubes	
IG72	Ethyl Mercaptan	(0.5-120 ppm)
IG72L	Ethyl Mercaptan	Low Range
IG75LN	tert-Butyl mercaptan-Low	
IG81D	Dositubes, Acetic Acid	
IG8H	Chlorine	High Range
IG8LA	Chlorine	Low Range (0.1-16 ppm) /
IG91	Formaldehyde	(2-100 ppm)
IG91D	Dositubes, Formaldehyde	
IG91L	Formaldehyde	Low Range
IG91LL	Formaldehyde	Extra Low
IG9L	Nitrogen Dioxide	Low Range
IGV10S	Sampling Pump with Pump Stroke	





Gastec Passive Dositube Holder
IG710

- To determine worker's individual exposure
- Attaches to worker's breathing zone using collar clip (sold separately)
- Requires no calibration or maintenance



Gastec Extension Hose
IG351A

- Downward measurements in confined spaces
- For use with GV-100 sampling pump
- 5 metres long



Gastec Hot Probe
IG340

- Cools hot gases for measurement (60 to 600°C)
- Use with IG345 hot probe holder
- Comes with 40mm black tube



Gastec Tube Holder
IG345A

- For high temperature sampling
- Assists with stability when using IG340 hot sampling probe
- Cannot be used with twin-tubes or oxygen tube IG31B



Ready Safe™ Decontamination Wipes
BAL310055

- 100% biodegradable decontamination wipes
- Suitable for use everywhere on the body
- Formulated to remove harmful dioxins and pollutants



Prevor Portable Eyewash Combo Belt Pouch
BPDPMICROKIT

- Chemical splash protection for eyes and hands
- Belt pouch holds 1 - sterilized eyewash (SIEW) 50 ml and 1 - Diphoterine® Micro DAP spray



Previor LPME® Wall Mount Eyewash Station
BPLMPEDAS

- Kit for chemical splashes
- Includes:
 - 2 - Diphoterine Eyewash 500 ml
 - 1 - Afterwash Solution 200 ml
 - 1 - Mini Spray Diphoterine 200 ml



Previor Portable 5 Litre Diphoterine® Shower
BPDPDAPD

- Allows you to rinse and clean the entire body within 1 minute of a chemical accident
- Limits chemical penetration and inhibits the aggressiveness of chemicals



Previor Trivorex® Neutralizing Absorbent Holder
BPRACD

- Attaches to Previor wall mount eyewash station BPLMPEDAS
- Includes 700 gram Trivorex® Shaker



Prevor Trivorex® Neutralizing Absorbent, 700 g Shaker
BPRTXP4

- Declassifies corrosive chemicals into non-hazards
- Leaves surface dry and safe
- Eliminates the need for expensive environmental disposal costs



Prevor Trivorex® Bucket 10kg Neutralizing Absorbent
BPTXS10

- Declassifies corrosive chemicals into non-hazards
- Leaves surface dry and safe
- Eliminates the need for expensive environmental disposal costs



Prevor Polycaptor® Bucket 4kg, Super Polyvalent
BPSPC

- Universal absorbent that leaves a slip free surface
- Absorbs up to 3 litres of liquid per 1kg of absorbent (3 times better than mineral absorbents)



NLT Polaris Cap Lamp Cordless with Li-Ion Battery
YNLA001

- LED primary and secondary
- 12 Hour Duration c/w Fixed Clip
- Charger sold separately (YNRT120-01)
- Vehicle charge sold separately- (NL4502)



NLT Charger for Polaris Cap Lamp
YNRT120-01

- Single charger for all-in-one lamps (120V,) (Polaris, Genesis & Rebel cap lamps)
- CSA approved



NLT Rebel Plus Cap Lamp Cordless with Li-Ion Battery
YNLG003P

- LED primary and secondary
- 13 hour duration with extended adjustable clip
- 10,000 – 15,000 Lux light output



Petzl ARIA® 2 RGB
E070BA00

- Compact, durable, and waterproof headlamp designed for proximity vision and movement and featuring white or red/green/blue lighting to preserve night vision and stealth
- 450 lumens



Petzl ARIA® 1 RGB
E069BA00

- Compact, robust, and waterproof headlamp designed for proximity vision and featuring white or red/green/blue lighting
- 350 lumens



Petzl SWIFT® RL Pro Headlamp
CPE810AA00

- Compact, powerful, lightweight, and rechargeable headlamp featuring REACTIVE LIGHTING® technology®
- 1100 lumens

Energizer

Energizer Rayovac Intrinsically Safe Handheld 2AA
ENISHH21E

- 150 Lumen, waterproof, impact-resistant LED light
- Class I, Groups A, B, C, D; Class II, Groups E, F & G; Class III, T4
- Batteries Included

Energizer

Energizer Rayovac Intrinsically Safe Handheld LED Flashlight
ENISHH25E

- 150 Lumen, waterproof, impact-resistant LED light
- Class I, Groups A, B, C & D; Class II, Groups E, F & G; Class III, T4
- Batteries Included

Energizer

Energizer TAC 1,000 Lumen LED Tactical Metal Flashlight
ENPMHT6I

- Shatterproof lens
- 3-mode versatility – high, low, emergency and 15X brighter
- Emergency strobe mode

Energizer

Energizer TAC R 1200 Rechargeable Tactical Flashlight
ENPMHT28

- 1200 Lumen, water and impact-resistant with shatterproof lens
- Rechargeable, cable included
- USB port out – charges other devices

Energizer

Energizer Hybrid Tactical Light
ENYMHT6I

- 1200 Lumen, water resistant, aircraft grade aluminum LED light
- USB port out: Charges other devices
- 3 light modes: High, Low, emergency strobe

PETZL

Petzl - VERTEX® Canada Version - Helmet
CPA010BA03

- Six-point textile suspension as well as CENTERFIT and FLIP and FIT systems
- Available in black, yellow, white, red, blue, green and orange

PETZL


Petzl - VIZIR SHADOW
A015BA00

- Tinted eye shield with EASYCLIP system for VERTEX and STRATO helmets
- Level 2.5 solar protection filter, anti-scratch and anti-fog treatments

UID
PRODUCTIVE INDUSTRIAL PRODUCTS

Dynamic™ High Performance Faceshield Bracket
UDEPB10I

- Accepts a wide range of face shield styles
- Can be used with earmuffs and face shield UDEPB1540
- Totally dielectric

UID
PRODUCTIVE INDUSTRIAL PRODUCTS

Dynamic™ Universal Fit PETG Safety Visor
UDEPB1540

- Made with virgin resin
- Universal hole pattern will fit most headgear and hard hat adapters in the market
- For use with bracket UDEPB10I



Dynamic™ HDPE High Performance Headgear with Ratchet Adjustment EPHG300R

- Accepts a wide range of face shield styles
- Large spark guard
- Cross strap adjusts to allow an exceptional fit



PIP Dynamic™ Wire mesh visor EPWM815

- Wire mesh to protect against flying particle and wood chips
- Universal fit hole pattern
- Can be used with earmuffs and hardhats
- 8" x 15.5"



PIP Dyna-Sun™ Full Frame Safety Glasses EPDS12C

- 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- Double lens system with 8.0 base curve
- Filters out blue light



PIP Semi-Rimless Safety Glasses EDSEP810S

- DYNA-SHIELD anti fog coating
- Nose bridge with 3 positions
- CSA Z94.3-15 certified



PIP Mini SpectaGoggle™ EDEP950C

- Removable foam padding
- Lens - 4A Coating: anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- CSA Z94.3-15 certified



PIP Techno™ Rimless Safety Glasses EDSEP850C

- Wraparound lightweight
- 4A Coating: anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- CSA Z94.3-15 certified



PIP Techno™ Rimless Safety Glasses EDSEP850S

- Wraparound lightweight
- 4A Coating: anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- CSA Z94.3-15 certified 450 lumens



PIP OTG Extra™ Rimless Safety Glasses EDSEP750S

- Extra large size lens to fit over the largest prescription spectacles
- 4A Coating: anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- CSA Z94.3-15 certified



PIP Phantom OTG™ Indirect Vent Goggle EDSEPMK01C

- Indirect ventilations
- Strap made of "FR" material
- 4A Coating: anti-fog, anti-scratch, anti-UV 99.9%, anti-static plus CSA Z94.3-15 certified



ReadySafe Lens Cleaning Towelettes
ER29802

- Anti-fog, anti-static
- 100 towelettes per dispenser box
- For use on glass, plastic or polycarbonate safety goggles, shields, glasses and computer screens



ReadySafe Lens Cleaning Station
ER29810

- Mini disposable station
- 8 oz. anti-fog cleaning solution
- Contains 600 cleaning tissues



PIP BioSoft™ Ear Plugs
PFBSF1 (200 pair/box)
PFBSF1B (500 pair/box)

- World's 1st biobased earplugs
- USDA Certified 82% biobased, NNR 32
- Earplugs and bag are biobased



Final Fit Safety Pinch Fit™ Corded Ear Plugs (100 pair/box)
PFPF30

- World's 1st biobased earplugs
- USDA Certified 82% biobased, NNR 32
- Earplugs, stem, cords and bag are biobased



Final Fit Safety BioSoft™ Metal Detectable Ear Plugs (100 pair/box)
PFBSF-D

- World's 1st biobased earplugs
- USDA Certified 82% biobased, NNR 32
- Earplugs, stem and bag are biobased



Final Fit Safety Corded BioSoft™ Ear Plugs (100 pair/box)
PFBSF30

- World's 1st biobased earplugs
- USDA Certified 82% biobased, NNR 32
- Earplugs, cords and bag are biobased



Final Fit Safety BioSoft™ Metal Detectable Ear Plugs (100 pair/box)
PFBSF-D

- World's 1st biobased earplugs
- USDA Certified 82% biobased, NNR 32
- Earplugs, stem and bag are biobased



Final Fit Safety Pinch Fit™ Ear Plugs (100 pair/box)
PFPF1

- World's 1st biobased earplugs
- USDA Certified 82% biobased, NNR 32
- Earplugs, stem and bag are biobased




Cancord Ropes Military Cord
CG1611162G - Olive
CG2703088 - Black

- Diameter(in) 7/64, (3mm)
- Type 1, olive drag (OG107)
- NSN: 4020-21-882-9701
- 250m tube



Petzl CLUB 10 mm diameter semi-static rope
R39AO 060

- Designed for canyoning or continuous top rope use
- It's easy to handle and highly durable. Not suitable for lead climbing



Petzl MAMBO@ 10.1 mm Dynamic rope
R32AC050

- 10.1 mm diameter MAMBO dynamic rope, designed for working at heights
- The thick sheath improves abrasion resistance



Petzl VECTOR 12.5 mm
R078AA02

- Low stretch kernmantle for rescue
- EverFlex technology
- Available in six colors white, yellow, black, blue, red and orange
- Four lengths - 150 ft, 200 ft, 600 ft and 1200 ft



Petzl Axis 11mm, 150ft lifeline
CPR074AA36

- Low stretch kernmantle rope
- Available in six colors white, yellow, black, blue, red and orange
- Four lengths - 150 ft, 200 ft, 600 ft and 1200 ft




Petzl PROTEC Flexible
CPR003AA00

- Designed to protect a fixed rope from abrasion
- Made for regular to intensive use
- Versatile, PROTEC fits most rope diameters, as well as anchor straps




Petzl - AVAO@ BOD Harness
CPC071CA00 CPC071CA01
CPC071CA02

- Work positioning and suspension harness
- CSA Z259.10
- Material(s): nylon, polyester, aluminum, steel



Petzl NEWTON FAST
C073IA00
C073IA01

- Quick-donning fall arrest harness
- Lightweight, ergonomic fall-arrest harness
- CSA Z259.10



Petzl CHEST'AIR Chest harness
C098AA00

- CHEST'AIR chest harness transforms the ASPIC, FALCON, or FALCON MOUNTAIN seat harness into a helivac harness
- FAST LT buckle at the chest, for quick donning



Petzl FALCON MOUNTAIN
C038FA00
C038FA01

- Ultra-lightweight and comfortable
- Ventral attachment point has a textile bridge for mobility




Petzl ASPIC Compact
C96

- Designed for the military
- Waistbelt and leg loops are lined with breathable perforated removable foam



Petzl - PANDION
CPC029AA01

- Reinforced ventral attachment point
- Flexible equipment loop
- Waistbelt and leg loops and self-locking DOUBLEBACK buckles



Petzl GRILLON
CPL052AA08

- Adjustable lanyard connects to the attachment points of the harness to secure the user
- Lanyard available in two lengths



Petzl - I'D® S - Self-braking descender
CPD020AA01

- Ergonomic handle
- Integrated anti-panic function and anti-error catch
- For 10 to 11.5 mm diameter ropes




Petzl VULCAN Carabiner
CPM073CA01

- High-strength asymmetrical steel carabiner
- Carabiner designed for use in difficult environments
- Ideal for setting multiple anchors



Petzl ATTACHE Carabiner
M038AA03

- Compact shape and SCREW-LOCK locking system
- H-frame to keep the weight low
- Easier belaying with the REVERSO, or a Munter hitch



Petzl Sm'D Ultra-light Carabiner
M39A TLN

- Compact asymmetrical aluminum carabiner
- D shape for attaching devices
- Available with or without locking system: automatic TRIACT-LOCK or manual SCREW-LOCK



Petzl Am'D TRIACT-LOCK Carabiner
M34A TLN

- Lightweight asymmetrical aluminum carabiner
- D shape



Petzl William Carabiner
M36A TLN

- Large-capacity asymmetrical aluminum carabiner
- Pear shape




Petzl Omni Carabiner
CPM37 TL

- Multi-directional semi-circle carabiner
- Two locking systems: automatic TRIACT-LOCK system or manual SCREW-LOCK system



Petzl HUIT ANTIBRULURE Figure 8 descender
Huit D01

- Figure eight descender with anti-burn tab for holding the device when it is hot from a long or rapid descent



Petzl - EXO® EASHOOK OPEN
D030HA00

- Individual evacuation system, with the easy-handling EASHOOK OPEN carabiner



Petzl - TOOLBAG 3
S047BA01

- Medium volume for smaller tools
- Open and close with one hand
- TPU material, waterproof tarp material and water repellent fabric
- INTERFAST accessory




Petzl - INTERFAST - Quick connection
S051AA01

- Upper clip and FAST button
- TOOLEASH drop-prevention tether
- Compact design
- Compatible with any harness that has slots



Petzl - CORDEX PLUS Belay/rappeel gloves
GPK53-L

- Medium weight belay/rappeel gloves offer extra protection without sacrificing dexterity



Petzl NEST Litter for confined spaces
S061AA00

- Handles are reinforced with high-modulus polyethylene (HMPE)
- Smooth, rigid plastic bottom
- Reversible comfort foam
- Durable construction



MSA Workman Confined Space Entry Kit
MSA10174589

- Tripod with 50ft (15.2M) workman rescuer, stainless steel cable
- Pulley, carabiner, CSA



ReadySafe Nitrile Gloves
GFLGXSPPFN001-XS
GFLGXSPPFN002-S
GFLGXSPPFN003-M
GFLGXSPPFN004-L
GFLGXSPPFN005-XL

- 9" exam glove, 3 mil/ 3.5g
- Powder-free, non-sterile
- Health Canada approved



Readysafe Glove Mechanic, X60 Green
GR55060LG

- For use in material handling, warehousing, assembly and fabrication, and dry grip applications
- Two-way stretch and moulded neoprene knuckles



Readysafe Glove Mechanic, X60 Grey
GR55065LG

- For use in material handling, warehousing, assembly and fabrication, and dry grip applications
- Two-way stretch and moulded neoprene knuckles



Readysafe Glove, Mechanic, X80 Green
GR55080LG

- For use in material handling, warehousing, assembly and fabrication, and dry grip applications
- Two-way stretch and moulded neoprene knuckles



Mechanix Wear - WORK GLOVES - FASTFIT®
GMFF-05-008 GMFF-05-009
GMFF-05-010

- Form-fitting TrekDry® material
- Stretch-elastic cuffs
- Reinforced thumb and index finger



Mechanix Wear - TACTICAL GLOVES - FASTFIT® COYOTE
GMFFTAB-72-010 GMFFTAB-72-011

- Breathable TrekDry®
- Stretch-elastic cuffs
- Anatomically designed two-piece palm



Mechanix Wear - WORK GLOVES - THE ORIGINAL®
GMG-03-010 GMG-03-011

- Form-fitting TrekDry®
- Touchscreen capable synthetic leather



Mechanix Wear - WORK GLOVES - THE ORIGINAL® WOMEN'S
GMG-05-008 GMG-05-009
GMG-05-010

- Form-fitting TrekDry®
- Touchscreen capable synthetic leather



Mechanix Wear SPECIALTY 0.5MM COYOTE
GMMSD-72

- Tactical glove
- Precision feel and high dexterity
- Law Enforcement and Military



Mechanix Wear - IMPACT RESISTANT work gloves M-PACT® open cuff
GMMPC-58

- Armortex® palm reinforcement
- Reinforced index finger and thumb
- D3O® palm padding



Mechanix Wear - tactical impact resistant gloves M-PACT® COYOTE
GMP7-72-010

- Molded Thermoplastic Rubber (TPR) meets EN 13594 impact standard
- Synthetic leather infused with touchscreen technology



Mechanix Wear - high-visibility impact gloves HI-VIZ M-PACT®
GMSMP91010

- Molded Thermoplastic Rubber (TPR) meets EN 13594 impact standard
- D3O® palm padding



Mechanix Wear - high-visibility work gloves HI-VIZ FASTFIT® D4-360
GMSFFX91

- High-tensile strength liner provides 360° EN 3X43D Level D & ANSI A4 cut resistance
- Touchscreen capable synthetic leather



Mechanix Wear - impact resistant gloves M-PACT® DRIVER F9-360
GMLDMP-C75-010
GMLDMP-C75-011

- Comfortable stretch-elastic cuff
- High-tensile strength liner provides 360° ANSI A9 cut resistance



Mechanix Wear - LEATHER ORIGINAL®
LMG-75-L

- Form-fitting TrekDry®
- Pinched fingertip construction
- Durahide™ leather fourchettes



Mechanix Wear MATERIAL4X® padded palm
PP4X-75

- Thermoplastic Rubber (TPR) closure with hook and loop
- High-density EVA foam knuckle padding
- Material4X® palm



Mechanix Wear leather cow driver
GMLDCW-75-008 GMLDCW-75-009
GMLDCW-75-010

- Comfortable stretch-elastic cuffs
- Water resistant yet breathable
- Gunn cut finger design



Impacto - BLACKMAXX - THE ORIGINAL -Vibration damping gloves
VI473240

- Lightweight feel, optimum dexterity
- Coated with "pods" of lightweight cellular Chloroprene



Impacto - AIR GLOVE LINER FULL FINGER
BG601

- Extra Full Finger Protection
- Impacto BG601
- Breathable, utilizing patented Air Glove technology in the palm, fingers and thumb



Impacto - MECHANIC STYLE AIR GLOVE Maximum Vibration and Impact Protection

BG408

- Air Glove technology in the palm, fingers and thumb
- Synthetic suede and silicone dots for excellent wear, flexibility and grip



Impacto - THERMO WRAP Prevention

TS226

- Designed to help prevent wrist Repetitive Strain Injuries (RSI)
- Non-porous rubberized material captures body heat and increases circulation



Impacto - KNEELING MAT Oil & Water Resistant Technology

MAT5040

- For severe kneeling conditions such as steel, concrete, gravel, grating, wet surfaces, dirt and mud
- neoprene knuckles



Impacto - GELITE HARD SHELL

CI86800

- Built using a solid injected Gel insert
- Plastic sewn on outer cover
- Breathable pad and a neoprene liner
- Enlarged hard outer shell



Impacto - hard shell knee protection

CI82500

- Lightweight & comfortable/all day protection/moisture wicking lining/removable double elastic straps with hook/loop closure



Impacto - all-terrain gel knee pads

CI86400

- Sewn-on cover, GEL padding provides maximum comfort with breathable nylon mesh
- Elevated face with side extended treads offer extra stability.



First Laird 5 Point Tear-Away Hi-Viz Vest

CR20000-S CR20000-M
CR20000-L CR20000-XL
CR20000-XXL CR20000-XXXL

- CSA Z96- Class 2, Level 2, 100% poly mesh
- 4 front pockets, straps for radio clips and safety D ring access slot



DuPont™ Tyvek® ProShield 10 Coveralls

CDPB120SBULG002500
CDPB120SBUXL002500
CDPB120SBU2X002500
CDPB120SBU3X002500
CDPB120SBU4X002500

- Non-hazardous dry particle and light liquid splash applications
- Front zipper, elastic wrists, ankles, and serged seams



DuPont™ Hooded Tyvek® 400 Coverall

CDTY127S-M CDTY127S-L
CDTY127S-XL CDTY127S-2XL
CDTY127S-3XL

- Best for dry particulate hazards
- Serged seems, front zipper, elastic wrists and ankles



WPCCT™ Signature Edition Bilingual H&S Communication Board System

- Federal**
BTWPCC-BCSSOEK
BTWPCC-2IHSC-DNDA
- Ontario**
BTWPCC-ONHSBIE-PL
BTWPCC-ONHSBCP-PL

- Is your Primary Workplace H&S Communication Board System
- Includes WPCCT™ Signature Document Management CUBE
- 2 Part Signature Board System with your Logo, each 38" w x 48" h



WPCCT™ Satellite Bilingual H&S Information Board

- Federal**
BTWPCC-SHSIB-FED
BTWPCC-SHSIB-DND
- Ontario**
BTWPCC-SHSIB-ON-IE
BTWPCC-SHSIB-ON-CP

- To ensure Secondary Location Posting requirements are met, the WPCCT™ Satellite H&S board supports the initial Signature WPCCT™ H&S Board System
- Satellite board with your Logo, 38" w x 48" h



WPCCT™ FVP-Line Bilingual H&S Notice Board System

- Federal**
BTWPCC-FVP-HSNB-FED-BE
BTWPCC-FVP-HSNB-DND-BE
- Ontario**
BTWPCC-FVP-HSNB-ON-IE-BE
BTWPCC-FVP-HSNB-ON-CP-BE

- Cost-effective H&S posting solution without compromising on compliance
- Includes WPCCT™ FVP Document Management CUBE
- FVP Board System with your Logo, 48" w x 48" h



WPCCT™ Bilingual Emergency Wall & Emergency Columnar Boards

- All Jurisdictions**
BTWPCC-PSPC-EWOF
BTWPCC-PSPC-LS3
- WPCCT™ MT-926 Mobile Transport**
BTWPCC-MT-926

- A PSPC collaboration addressing GC Unassigned Seating
- Designed for Building Emergency Evacuation Information and all Emergency Equipment
- Columnar Boards 2 Part with your Logo, each 15" w x 48" h
- Emergency Wall Board with your Logo 30" w x 48" h
- Wall mount, or location specific with WPCCT™ MT-926 Mobile Transport



WPCCT™ Bilingual 15 Minute Primary Eyewash Procedure Information Station Board & Safety Floor Graphic Film System for Pure Flow 1000

- All Jurisdictions**
BT05WPCCC-BFEPGEK
- WPCCT™ MT-926 Mobile Transport**
BTWPCC-MT-926

- Designed for PureFlow 1000
- Supports Eyewash Identification & mandatory Training Efforts
- Eyewash Board 30" w x 48" h
- Floor Demarcation Decal 48" x 48"
- Wall mount, or location specific with WPCCT™ MT-926 Mobile Transport



WPCCT™ Bilingual WHMIS 2015/GHS Station & Workplace Label Station

- All Jurisdictions**
BTWPCC-SDS-1C-DB2
BTWPCC-SDS-LS-2C-DB4
BTWPCC-SDS-LS-2C-2P
- WPCCT™ SA-209 Stand Alone Display**
BTWPCC-SA-209

- SDS Information & Label Stations for Office and Industrial settings
- Various Board Configuration utilizing either the WPCCT™ Open Top, Soft Edge, or for dust protection & hands-free display, the WPCCT™ Podium style Binder Holder
- Columnar SDS Board 15" w x 48" h
- Double Podium SDS Board 32" w x 48" h



www.levitt-safety.com | Nationwide Toll Free: 888.453.8488

FEDS@levitt-safety.com



Platinum
member



OAKVILLE | CALGARY | EDMONTON | FORT MCMURRAY | MONCTON
MONTREAL | OTTAWA | PORT ELGIN | REGINA | SARNIA
SASKATOON | SPARWOOD | SUDBURY | THUNDER BAY | VAL-D'OR
VANCOUVER | WINNIPEG | YELLOWKNIFE